Seat Belt for Forklifts

Forklift Seat Belt - This guideline reason is to be able to describe the Regulation necessities for the use of driver seatbelts or restraints on lift trucks. It is the employers' accountability to make certain that each machinery, piece of equipment and tool in the workplace is selected and utilized properly and operated according to the manufacturer's directions.

Rough Terrain forklifts must meet the regulations of ANSI Standard ASME B56.6-1992 in regards to their fabrication, use, design, maintenance and inspection.

Mobile machines like for instance side boom tractors along with a Rollover Protective Structure (ROPS), should include seat belts which meet the Society of Automotive Engineers safety requirements; Society of Automotive Engineers Standard J386 JUN93, Operator Restraint System for Off-Road Work Machines. If any mobile machine includes seat belts required by law, the driver and subsequent passengers ought to make sure they use the belts each time the vehicle is in motion or engaged in operation because this could cause the machinery to become unsteady and thus, unsafe.

If a seat belt or various driver restraint is required on a forklift.

While working a lift truck, the seat belt requirements will depend on a number of factors. Contributing factors to this determination may include whether the the lift truck is equipped along with a Rollover Protective Structure, the type of forklift itself and the year the lift truck was actually made. The manufacturer's instructions and the requirements of the applicable standard are referenced in the Regulation.

With regards to powered industrial forklifts, ANSI Standard ASME B56.1-1993 refers to an operator restraint device, enclosure or system. An operator restraint device, enclosure or system is designed to help the operator in reducing the chance of entrapment of the torso and/or head between the truck and the ground in the event of a tip over. The system or restraint device may include a seat belt, even if a seat belt is not necessarily a part of such equipment or system.